

	Product Number	Data Rate	Wave-length	Media	Reach	TX Power (dBm)	RX Sens. (dBm)	Temp (deg C)
100M/155M CWDM SFP	80-30-052-47	155Mb/s	1470nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-49	155Mb/s	1490nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-51	155Mb/s	1510nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-53	155Mb/s	1530nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-55	155Mb/s	1550nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-57	155Mb/s	1570nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-59	155Mb/s	1590nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
	80-30-052-61	155Mb/s	1610nm	SMF	80km	0 ~ +5	<-30	0 ~ 70
GE CWDM SFP	80-31-052-47	1.25Gb/s	1470nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-49	1.25Gb/s	1490nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-51	1.25Gb/s	1510nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-53	1.25Gb/s	1530nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-55	1.25Gb/s	1550nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-57	1.25Gb/s	1570nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-59	1.25Gb/s	1590nm	SMF	80km	0 ~ +5	<-24	0 ~ 70
	80-31-052-61	1.25Gb/s	1610nm	SMF	80km	0 ~ +5	<-24	0 ~ 70

For more data on Metrodata products, visit our website at www.metrodata.co.uk
 Metrodata reserves the right to change specifications without notice.
 Please check when ordering.